INDEX OF VOLUME 30, 1992

NUMBER 1, JANUARY—FEBRUARY 1992

Slug Tests with Storage Due to Entrapped Air, by C. K. Keller & G. van der Kamp, pp. 2-7.

Difluorobenzoates as Nonreactive Tracers in Soil and Ground Water, by R. S. Bowman & J. F. Gibbens, pp. 8-14.

Comparative Hydrogeology of Fresh-Water Lenses of Bermuda and Great Exuma Island, Bahamas, by H. L. Vacher & T. N. Wallis, pp. 15-20.

Hydraulic Barriers in Pleistocene Buried-Valley Aquifers, by R. B. Shaver & S. W. Pusc, pp. 21-28.

Competitive Exclusion of Sulfate Reduction by Fe(III)-Reducing Bacteria: A Mechanism for Producing Discrete Zones of High-Iron Ground Water, by F. H. Chapelle & D. R. Lovley, pp. 29-36.

Comparison Between Model Simulations and Field Results for In-Situ Biorestoration of Chlorinated Aliphatics: Part 2. Cometabolic Transformations, by L. Semprini & P. L. McCarty, pp. 37-44.

Water Quality Response to the Partial Casing of a Well, by T. Grundl & J. Delwiche, pp. 45-49.

History Matching to Determine the Retardation of PCE in Ground Water, by L. Rogers, pp. 50-60.

Unsteady Ground-Water Flow Toward Extended Wells, by Z. Şen, pp. 61-67.

Estimating Aquifer Properties by Nonlinear Least-Squares Analysis of Pump Test Response, by R. A. Johns, L. Semprini & P. V. Roberts, pp. 68-77.

Simulation of Tidal Effects on Contaminant Transport in Porous Media, by C. S. Yim & M.F.N. Mohsen, pp. 78-86.

Influence of Pore Pressure on Apparent Dispersivity of a Fissured Dolomitic Aquifer, by D. I. Leap & P. M. Belmonte, pp. 87-95.

The Topographic Approach to Locating High-Yield Wells in Crystalline Rocks: Does It Work? by Z.-Y. Yin & G. A. Brook, pp. 96-102.

NUMBER 2, MARCH—APRIL 1992

Editorial — Message from the New Editor, by John Bredehoeft, pp. 162-163.

A Neural-Network Approach to the Determination of Aquifer Parameters, by A.R.A. Aziz & K.-F. V. Wong, pp. 164-166.

Hydrogeologic Characteristics and Deforestation of the Stone Forest Karst Aquifers of South China, by Peter W. Huntoon, pp. 167-176.

A Comparison of Three Functional Forms for Representing Soil Moisture Characteristics, by A. C. Bumb, C. L. Murphy & L. G. Everett, pp. 177-185.

Geochemical and Kinetic Evolution of a Karst Flow System: Laurel Creek, West Virginia, by Christopher G. Groves, pp. 186-191.

Salt-Water Upconing in an Aquifer Overlain by a Leaky Confining Bed, by Louis H. Motz, pp. 192-198.

Comparison of Flow Models Used to Delineate Capture Zones of Wells: 1. Leaky-Confined Fractured-Carbonate Aquifer, by E. S. Bair & G. S. Roadcap, pp. 199-211.

Inverse Analytical Techniques Applied to Coincident Contaminant Distributions at Otis Air Force Base, Massachusetts, by N. K. Ala & P. A. Domenico, pp. 212-218.

In Situ Surfactant Washing of Polychlorinated Biphenyls and Oils from a Contaminated Site, by A. S. Abdul, T. L. Gibson, C. C. Ang, J. C. Smith & R. E. Sobczynski, pp. 219-231.

Methanogenic Biodegradation of Creosote Contaminants in Natural and Simulated Ground-Water Ecosystems, by E. M. Godsy, D. F. Goerlitz & D. Grbić-Galić, pp. 232-242.

The Use of Solute and Isotopic Chemistry to Identify Flow Patterns and Factors Which Limit Acid Mine Drainage in the Wasatch Range, Utah, by A. L. Mayo, P. J. Nielsen, M. Loucks & W. H. Brimhall, pp. 243-249.

Dissolution of Dense Chlorinated Solvents into Ground Water: 1. Dissolution from a Well-Defined Residual Source, by M. R. Anderson, R. L. Johnson & J. F. Pankow, pp. 250-256.

Computer Notes — Modeling Transport in Transient Ground-Water Flow: An Unacknowledged Approximation, by Daniel J. Goode, pp. 257-261.

Computer Notes — SUPRPUMP: An Interactive Program for Well Test Analysis and Design, by G. C. Bohling & C. D. McElwee, pp. 262-268.

NUMBER 3, MAY—JUNE 1992

Editorial — Changes in *Ground Water,* by John Bredehoeft, pp. 322-323.

Exploration and Development of Ground Water from the Stone Forest Karst Aquifers of South China, by Peter W. Huntoon, pp. 324-330.

Using Cooper-Jacob Approximation to Take Account of Pumping Well Pipe Storage Effects in Early Drawdown Data of a Confined Aquifer, by Robert P. Chapuis, pp. 331-337.

Parameter Estimation for Step-Drawdown Tests, by Cem B. Avci, pp. 338-342.

Fresh-Water/Sea-Water Relationship Within a Ground-Water Flow System, Northeastern Coast of the Yucatan Peninsula, by Y. H. Moore, R. K. Stoessell & D. H. Easley, pp. 343-350.

Sealing Characteristics of Selected Grouts for Water Wells, by T. B. Edil, M.M.K. Chang, L. T. Lan & T. V. Riewe, pp. 351-361.

Potentiometric and Aquifer Property Changes Above Subsiding Longwall Mine Panels, Illinois Basin Coalfield, by C. J. Booth & E. D. Spande, pp. 362-368.

Analysis of Unsteady Flow to a Large-Diameter Well Experiencing Well Loss, by A. G. Chachadi & G. C. Mishra, pp. 369-375.

Hydrogeological Decision Analysis: 3. Application to Design of a Ground-Water Control System at an Open Pit Mine, by T. Sperling, R. A. Freeze, J. Massmann, L. Smith & B. James, pp. 376-389.

Hydrograph Analysis in a Fractured Rock Terrane, by Gerald K. Moore, pp. 390-395.

The Use of Specific Capacity to Assess Transmissivity in Fractured-Rock Aquifers, by D. Huntley, R. Nommensen & D. Steffey, pp. 396-402.

Analysis of Ground-Water Flow and Injection Fluid Transport in the Floridan Aquifer near Pensacola, Florida, by D. S. Ward, J. W. Mercer & L. L. August, pp. 403-414.

Confining Unit Effects on Water Quality in the New Jersey Coastal Plain, by A. A. Pucci, Jr., T. A. Ehlke & J. P. Owens, pp. 415-427.

Field Determination of Geological/Chemical Properties of an Aquifer by Cone Penetrometry and Headspace Analysis, by C. Y. Chiang, K. R. Loos & R. A. Klopp, pp. 428-436.

Computer Notes — A Code to Generate Random Identifiers and Select QA/QC Samples, by Edward Mehnert, pp. 437-439.

NUMBER 4, JULY—AUGUST 1992

Guest Editorial — The Fidelity Fallacy, by David M. Brown, pp. 482-483.

Fingerprinting Petroleum Contamination Using Synchronous

INDEX OF VOLUME 30, 1992

NUMBER 1, JANUARY—FEBRUARY 1992

Slug Tests with Storage Due to Entrapped Air, by C. K. Keller & G. van der Kamp, pp. 2-7.

Difluorobenzoates as Nonreactive Tracers in Soil and Ground Water, by R. S. Bowman & J. F. Gibbens, pp. 8-14.

Comparative Hydrogeology of Fresh-Water Lenses of Bermuda and Great Exuma Island, Bahamas, by H. L. Vacher & T. N. Wallis, pp. 15-20.

Hydraulic Barriers in Pleistocene Buried-Valley Aquifers, by R. B. Shaver & S. W. Pusc, pp. 21-28.

Competitive Exclusion of Sulfate Reduction by Fe(III)-Reducing Bacteria: A Mechanism for Producing Discrete Zones of High-Iron Ground Water, by F. H. Chapelle & D. R. Lovley, pp. 29-36.

Comparison Between Model Simulations and Field Results for In-Situ Biorestoration of Chlorinated Aliphatics: Part 2. Cometabolic Transformations, by L. Semprini & P. L. McCarty, pp. 37-44.

Water Quality Response to the Partial Casing of a Well, by T. Grundl & J. Delwiche, pp. 45-49.

History Matching to Determine the Retardation of PCE in Ground Water, by L. Rogers, pp. 50-60.

Unsteady Ground-Water Flow Toward Extended Wells, by Z. Şen, pp. 61-67.

Estimating Aquifer Properties by Nonlinear Least-Squares Analysis of Pump Test Response, by R. A. Johns, L. Semprini & P. V. Roberts, pp. 68-77.

Simulation of Tidal Effects on Contaminant Transport in Porous Media, by C. S. Yim & M.F.N. Mohsen, pp. 78-86.

Influence of Pore Pressure on Apparent Dispersivity of a Fissured Dolomitic Aquifer, by D. I. Leap & P. M. Belmonte, pp. 87-95.

The Topographic Approach to Locating High-Yield Wells in Crystalline Rocks: Does It Work? by Z.-Y. Yin & G. A. Brook, pp. 96-102.

NUMBER 2, MARCH—APRIL 1992

Editorial — Message from the New Editor, by John Bredehoeft, pp. 162-163.

A Neural-Network Approach to the Determination of Aquifer Parameters, by A.R.A. Aziz & K.-F. V. Wong, pp. 164-166.

Hydrogeologic Characteristics and Deforestation of the Stone Forest Karst Aquifers of South China, by Peter W. Huntoon, pp. 167-176.

A Comparison of Three Functional Forms for Representing Soil Moisture Characteristics, by A. C. Bumb, C. L. Murphy & L. G. Everett, pp. 177-185.

Geochemical and Kinetic Evolution of a Karst Flow System: Laurel Creek, West Virginia, by Christopher G. Groves, pp. 186-191.

Salt-Water Upconing in an Aquifer Overlain by a Leaky Confining Bed, by Louis H. Motz, pp. 192-198.

Comparison of Flow Models Used to Delineate Capture Zones of Wells: 1. Leaky-Confined Fractured-Carbonate Aquifer, by E. S. Bair & G. S. Roadcap, pp. 199-211.

Inverse Analytical Techniques Applied to Coincident Contaminant Distributions at Otis Air Force Base, Massachusetts, by N. K. Ala & P. A. Domenico, pp. 212-218.

In Situ Surfactant Washing of Polychlorinated Biphenyls and Oils from a Contaminated Site, by A. S. Abdul, T. L. Gibson, C. C. Ang, J. C. Smith & R. E. Sobczynski, pp. 219-231.

Methanogenic Biodegradation of Creosote Contaminants in Natural and Simulated Ground-Water Ecosystems, by E. M. Godsy, D. F. Goerlitz & D. Grbić-Galić, pp. 232-242.

The Use of Solute and Isotopic Chemistry to Identify Flow Patterns and Factors Which Limit Acid Mine Drainage in the Wasatch Range, Utah, by A. L. Mayo, P. J. Nielsen, M. Loucks & W. H. Brimhall, pp. 243-249.

Dissolution of Dense Chlorinated Solvents into Ground Water: 1. Dissolution from a Well-Defined Residual Source, by M. R. Anderson, R. L. Johnson & J. F. Pankow, pp. 250-256.

Computer Notes — Modeling Transport in Transient Ground-Water Flow: An Unacknowledged Approximation, by Daniel J. Goode, pp. 257-261.

Computer Notes — SUPRPUMP: An Interactive Program for Well Test Analysis and Design, by G. C. Bohling & C. D. McElwee, pp. 262-268.

NUMBER 3, MAY—JUNE 1992

Editorial — Changes in *Ground Water,* by John Bredehoeft, pp. 322-323.

Exploration and Development of Ground Water from the Stone Forest Karst Aquifers of South China, by Peter W. Huntoon, pp. 324-330.

Using Cooper-Jacob Approximation to Take Account of Pumping Well Pipe Storage Effects in Early Drawdown Data of a Confined Aquifer, by Robert P. Chapuis, pp. 331-337.

Parameter Estimation for Step-Drawdown Tests, by Cem B. Avci, pp. 338-342.

Fresh-Water/Sea-Water Relationship Within a Ground-Water Flow System, Northeastern Coast of the Yucatan Peninsula, by Y. H. Moore, R. K. Stoessell & D. H. Easley, pp. 343-350.

Sealing Characteristics of Selected Grouts for Water Wells, by T. B. Edil, M.M.K. Chang, L. T. Lan & T. V. Riewe, pp. 351-361.

Potentiometric and Aquifer Property Changes Above Subsiding Longwall Mine Panels, Illinois Basin Coalfield, by C. J. Booth & E. D. Spande, pp. 362-368.

Analysis of Unsteady Flow to a Large-Diameter Well Experiencing Well Loss, by A. G. Chachadi & G. C. Mishra, pp. 369-375.

Hydrogeological Decision Analysis: 3. Application to Design of a Ground-Water Control System at an Open Pit Mine, by T. Sperling, R. A. Freeze, J. Massmann, L. Smith & B. James, pp. 376-389.

Hydrograph Analysis in a Fractured Rock Terrane, by Gerald K. Moore, pp. 390-395.

The Use of Specific Capacity to Assess Transmissivity in Fractured-Rock Aquifers, by D. Huntley, R. Nommensen & D. Steffey, pp. 396-402.

Analysis of Ground-Water Flow and Injection Fluid Transport in the Floridan Aquifer near Pensacola, Florida, by D. S. Ward, J. W. Mercer & L. L. August, pp. 403-414.

Confining Unit Effects on Water Quality in the New Jersey Coastal Plain, by A. A. Pucci, Jr., T. A. Ehlke & J. P. Owens, pp. 415-427.

Field Determination of Geological/Chemical Properties of an Aquifer by Cone Penetrometry and Headspace Analysis, by C. Y. Chiang, K. R. Loos & R. A. Klopp, pp. 428-436.

Computer Notes — A Code to Generate Random Identifiers and Select QA/QC Samples, by Edward Mehnert, pp. 437-439.

NUMBER 4, JULY—AUGUST 1992

Guest Editorial — The Fidelity Fallacy, by David M. Brown, pp. 482-483.

Fingerprinting Petroleum Contamination Using Synchronous

Scanning Fluorescence Spectroscopy, by D. Y. Pharr, J. K. McKenzie & A. B. Hickman, pp. 484-489.

Predicting Ground-Water Nitrate-Nitrogen Impacts, by N. N. Hantzsche & E. J. Finnemore, pp. 490-499.

Transformation of the Herbicides MCPP and Atrazine under Natural Aquifer Conditions, by J. Agertved, K. Rügge & J. F. Barker, pp. 500-506.

Effects of Urban Storm-Runoff Control on Ground-Water Recharge in Nassau County, New York, by H.F.H. Ku, N. W. Hagelin & H. T. Buxton, pp. 507-514.

Parameter Estimation of the Coefficients in Soil Hydraulic Equations from Steady-State Unsaturated Flow, by E. B. Richie & R. R. Schnabel, pp. 515-522.

Analysis of Observation-Well Response During Constant-Head Testing, by S. Mishra & D. Guyonnet, pp. 523-528.

Results of Two Pumping Tests in Wisconsin Age Weathered Till in Iowa, by L. Jones, T. Lemar & C.-T. Tsai, pp. 529-538.

Chlorine-36 Releases from the Savannah River Site Nuclear Fuel Reprocessing Facilities, by T. M. Beasley, D. Elmore, P. W. Kubik & P. Sharma, pp. 539-548.

Apparent Relative Retardation of Tritium and Bromide in Dolomite, by Darrell I. Leap, pp. 549-558.

Saturated Mound Development on Sloping Clay Layers Due to a Finite Source: An Analytical Solution, by T. H. Filley, pp. 559-568.

Straight-Line Intercept Method in Aquifer Volume Calculations, by Z. Şen & A. A. Sabtan, pp. 569-573.

Hydrogeological Decision Analysis: 4. The Concept of Data Worth and Its Use in the Development of Site Investigation Strategies, by R. A. Freeze, B. James, J. Massmann, T. Sperling & L. Smith, pp. 574-588.

Aquifer Analysis and Modeling in a Fractured, Heterogeneous Medium, by R. R. Lee, R. H. Ketelle, J. M. Bownds & T. A. Rizk, pp. 589-597.

Characterization of a Desert Aquitard—Hydrologic and Hydrochemical Considerations, by R. Nativ & I. Nissim, pp. 598-606.

Optimal Design of Ground-Water Capture Systems Using Segmental Velocity-Direction Constraints, by S. A. Ratzlaff, M. M. Aral & F. Al-Khayyal, pp. 607-612.

Computer Notes — Technical Note on MODFLOW Notation, by R. Stillwater, C. Kraeger-Rovey & P. Scott, p. 613.

Computer Notes — VECTOR — A Computer Program That Utilizes SURFER or GRAPHER to Plot a Vector Field, by N. Lu & S. Amter, pp. 614-617.

NUMBER 5, SEPTEMBER—OCTOBER 1992

Guest Editorial — Creation of "Hydrogeological Nature Reserves": A Plea for the Defense of Ground Water, by G. de Marsily, pp. 658-659.

Modeling Regional Ground-Water Flow in Fulton County, Indiana: Using the Analytic Element Method, by Henk M. Haitjema, pp. 660-666.

Tracer Test Evaluation of a Drainage Ditch Capture Zone, by L. W. Chambers & J. M. Bahr, pp. 667-675.

Relationships Between Saline Ground Water, Soil, and Leaf Tissue Composition of the Phreatophyte Mezquite, by F. L. García-Carreño, E. Troyo-Diéguez & J. L. Ochoa, pp. 676-682.

The Use and Performance of Collector Wells Within the Regolith Aquifer of Sri Lanka, by D. F. Ball & R. Herbert, pp. 683-689.

Unsaturated and Saturated Flow in Response to Pumping of an Unconfined Aquifer: Field Evidence of Delayed Drainage, by G. I. Nwankwor, R. W. Gillham, G. van der Kamp & F. F. Akindunni, pp. 690-700.

Storage Coefficients and Vertical Hydraulic Conductivities in Aquitards Using Extensometer and Hydrograph Data, by T. G. Cleveland, R. Bravo & J. R. Rogers, pp. 701-708.

Effects of Waste-Water Irrigation on Aqueous Geochemistry Near Paris, Texas, by D. J. Tedaldi & R. C. Loehr, pp. 709-719.

Effects of Nutrient Management on Nitrate Levels in Ground Water Near Ephrata, Pennsylvania, by David W. Hall, pp. 720-730.

Numerical Simulation of the Effects of Variable Density in a Contaminant Plume, by M. Koch & G. Zhang, pp. 731-742.

Pathline and Geochemical Evolution of Ground Water in a Regional Discharge Area, Red River Valley, North Dakota, by Philip J. Gerla, pp. 743-754.

An Evaluation of Flow Net Analysis for Aquifer Identification, by David M. Scott, pp. 755-764.

Prediction of Flow and Hydraulic Head Fields for Vertical Circulation Wells, by R. D. Philip & G. R. Walter, pp. 765-773.

Relation Between Anisotropic Transmissivity and Azimuthal Resistivity Surveys in Shallow, Fractured, Carbonate Flow Systems, by R. W. Ritzi, Jr. & R. H. Andolsek, pp. 774-780.

NUMBER 6, NOVEMBER—DECEMBER 1992

Editorial — Much Contaminated Ground Water Can't Be Cleaned Up, by John Bredehoeft, pp. 834-835.

Comparison of Purge and Trap GC/MS and Purgeable Organic Chloride Analysis for Monitoring Volatile Chlorinated Hydrocarbons, by L. B. Barber, II, E. M. Thurman, Y. Takahashi & M. C. Noriega, pp. 836-842.

Influence of Environmental Factors on Denitrification in Sediment Contaminated with JP-4 Jet Fuel, by P. M. Bradley, C. M. Aelion & D. A. Vroblesky, pp. 843-848.

Applicability of Sharp-Interface Models for NAPL Transport: 1. Infiltration, by Aly I. El-Kadi, pp. 849-856.

Patterns and Rates of Ground-Water Flow on Long Island, New York, by H. T. Buxton & E. Modica, pp. 857-866.

Common Sense in Ground-Water Protection and Management in the United States, by H. E. LeGrand & L. Rosen, pp. 867-872.

Unsaturated and Saturated Flow in Response to Pumping of an Unconfined Aquifer: Numerical Investigation of Delayed Drainage, by F. F. Akindunni & R. W. Gillham, pp. 873-884.

Delivery of Chloride and Nitrate by Ground Water to the Great Lakes: Case Study for the Door Peninsula, Wisconsin, by D. S. Cherkauer, P. F. McKereghan & L. H. Schalch, pp. 885-894.

Optimal Orientation of Water-Supply Boreholes in Fractured Aquifers, by David Banks, pp. 895-900.

Analytical Estimation of Ground-Water Flow Around Cutoff Walls and Into Interceptor Trenches, by N. B. Ilyinsky & A. R. Kacimov, pp. 901-907.

Comparison of Methods Used to Delineate Capture Zones of Wells: 2. Stratified-Drift Buried-Valley Aquifer, by A. E. Springer & E. S. Bair, pp. 908-917.

Hydrogeologic Factors Affecting New Sinkhole Development in the Orlando Area, Florida, by W. L. Wilson & B. F. Beck, pp. 918-930.

Combined Mathematical Model of Flow in an Aquifer-Horizontal Well System, by Michael Tarshish, pp. 931-935.

Chromatographic Evidence for Nonlinear Partitioning of Aromatic Compounds Between Petroleum and Water, by W. R. Wise, G. C. Robinson & P. B. Bedient, pp. 936-944.

Three-Dimensional Modeling of a Two-Well Tracer Test, by O. Güven, F. J. Molz, J. G. Melville, S. E. Didy & G. K. Boman, pp. 945-957.

A Forced Gradient Tracer Experiment in a Coastal Sandy Aquifer, Georgetown Site, South Carolina, by J. Mas-Pla, T.-C.J. Yeh, J. F. McCarthy & T. M. Williams, pp. 958-964.

Computer Notes — Design of Ground-Water Monitoring Networks Using the Monitoring Efficiency Model (MEMO), by C. R. Wilson, C. M. Einberger, R. L. Jackson & R. B. Mercer, pp. 965-970.

Computer Notes — Spreadsheet Modeling of Electrical Sounding Experiments, by Steven D. Sheriff, pp. 971-974.